SAFETY DATA SHEET



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

SYLVATAC™ RE 12

Registration number

Product registration number Registered. **Svnonvms** None. 8441 SDS number

200000000471 **Product code** 16-December-2016 Issue date

4.0 Version number

Revision date 11-August-2022 09-October-2018 Supersedes date

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Industrial uses: Uses of substances as such or in preparations at industrial sites. Formulation

[mixing] of preparations and/or re-packaging (excluding alloys).

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company name Kraton Chemical B.V.

Transistorstraat 16, 1322 CE Almere. The Netherlands **Address**

Phone +31 36 546 2800

Email address regulatory.eu@kraton.com 1.4. Emergency telephone EU NCEC +44 1865 407 333

number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The substance has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This substance does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Hazard summary Not available.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Rosin Ester None. Hazard pictograms Signal word None.

Hazard statements The substance does not meet the criteria for classification.

Precautionary statements

Prevention Observe good industrial hygiene practices.

Wash hands after handling. Response

Store away from incompatible materials. Storage

Disposal Dispose of waste and residues in accordance with local authority requirements.

Supplemental label information

2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or

Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Rosin Ester	100	Proprietary	-	-	
		-			
Cla	ssification: -				

List of abbreviations and symbols that may be used above

CLP: Regulation No. 1272/2008. DSD: Directive 67/548/EEC.

M: M-factor

vPvB: very persistent and very bioaccumulative substance. PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Community workplace exposure limit(s).

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Rinse with water. Get medical attention if irritation develops and persists. **Eve contact**

Rinse mouth. Get medical attention if symptoms occur. Ingestion Direct contact with eyes may cause temporary irritation. 4.2. Most important symptoms

and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing Water fog. Water spray, dry chemical, carbon dioxide.

media

Unsuitable extinguishing media

5.2. Special hazards arising Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

Do not use water jet as an extinguisher, as this will spread the fire.

from the substance or mixture

5.3. Advice for firefighters Special protective

equipment for firefighters

Special fire fighting

procedures

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Wear suitable protective equipment. Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment.

For emergency responders Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the

SDS.

Avoid discharge into drains, water courses or onto the ground. 6.2. Environmental precautions

6.3. Methods and material for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

Material name: SYLVATAC™ RE 12 SDS EU

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Avoid release to the environment. Observe good industrial hygiene practices. Follow all SDS/label

precautions even after container is emptied because they may retain product residues.

7.2. Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Keep containers closed when not in use. Store at ambient temperature and atmospheric pressure. Store away from incompatible materials (see Section 10 of

the SDS).

7.3. Specific end use(s)

Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures.

Derived no effect levels (DNELs)

General Population

Components	Value	Assessment factor	Notes
Rosin Ester (CAS Proprietary)			
Long-term, Systemic, Dermal	6,36 mg/kg bw/day	200	Repeated dose toxicity
Long-term, Systemic, Dermal	6,36 mg/kg bw/day	200	Repeated dose toxicity
Long-term, Systemic, Oral	6,36 mg/kg bw/day	200	Repeated dose toxicity
Long-term, Systemic, Oral	6,36 mg/kg bw/day	200	Repeated dose toxicity
<u>Workers</u>			
Components	Value	Assessment factor	Notes
Rosin Ester (CAS Proprietary)			
Long-term, Local, Inhalation	10 mg/m3		
Long-term, Local, Inhalation	10 mg/m3		
Long-term, Systemic, Dermal	12,73 mg/kg bw/day	100	Repeated dose toxicity
Long-term, Systemic, Dermal	12,73 mg/kg bw/day	100	Repeated dose toxicity

Predicted no effect concentrations (PNECs)

Components	Value	Assessment factor Notes
Rosin Ester (CAS Proprietary)		
Freshwater	0,1 mg/l	1000
Freshwater	0,1 mg/l	1000
Marine water	0,01 mg/l	10000
Marine water	0,01 mg/l	10000
Sediment (freshwater)	2317,75 mg/kg	
Sediment (freshwater)	2317,75 mg/kg	
Sediment (marine water)	231,78 mg/kg	
Sediment (marine water)	231,78 mg/kg	
Soil	462,06 mg/kg	
Soil	462,06 mg/kg	
STP	2,525 mg/l	10
STP	2,525 mg/l	10

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Personal protection equipment should be chosen according to the CEN standards and in **General information**

discussion with the supplier of the personal protective equipment.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear suitable protective clothing.

In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection Wear appropriate thermal protective clothing, when necessary.

Thermal hazards

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures

> and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Eye wash fountain and emergency showers are

recommended.

Environmental exposure

controls

Environmental manager must be informed of all major releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the

process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid.

Viscous liquid **Form**

Colour Amber Odour Mild

< 20 °C (< 68 °F) Melting point/freezing point Boiling point or initial boiling > 200 °C (> 392 °F)

point and boiling range

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Flash point > 200,0 °C (> 392,0 °F) Pensky-Martens Closed Cup

Not available. **Auto-ignition temperature Decomposition temperature** Not available. нα Not available.

Solubility(ies)

< 0.1 % at 25°C Solubility (water) Partition coefficient Not available.

(n-octanol/water)

Not available. Vapour pressure Not available. Vapour density

Relative density 1,05 at 25°C/25°C (water=1)

Particle characteristics Not available.

Other safety characteristics

Rosin Ester **Chemical family**

1059,00 kg/m3 at 20°C **Density Evaporation rate** 0 (n-BuAc=1) estimated

Percent volatile < 1 % EPA Method 24 (6 hr at 180°C)

< 20 °C (< 68 °F) Ring & Ball Softening point < 2000 mPa·s at 60°C **Viscosity**

SECTION 10: Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. 10.1. Reactivity

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Strong oxidising agents. Contact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

Upon decomposition this product emits acrid dense smoke with carbon dioxide, carbon monoxide, 10.6. Hazardous decomposition products

water and other products of combustion.

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected. Skin contact No adverse effects due to skin contact are expected. Eye contact Direct contact with eyes may cause temporary irritation.

Eye contact

Rosin Ester Irritation Corrosion - Eye, No eye irritation.; Data is for similar

product.

Result: Negative

Species: New Zealand white rabbit

Organ: Eye

Test Duration: 72 hr Observation Period: 7 days

Notes: OECD 405

May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of Ingestion

occupational exposure.

Exposure may cause temporary irritation, redness, or discomfort. **Symptoms**

11.1. Information on toxicological effects

Based on available data, the classification criteria are not met. Acute toxicity

Components	Species	Test Results
Rosin Ester		

Acute

Dermal

New Zealand white rabbit LD50 > 2000 mg/kg, 14 days At this dose no

death occurred.; Data is for similar

product.; OECD 402.

Rat > 2000 mg/kg, 24 Hours

Oral

NOEL

LD50 Rat > 2000 mg/kg

> Sprague-Dawley rat > 2000 mg/kg, 14 days At this dose no

death occurred.; Data is for similar

product.: OECD 425

1000 mg/kg/day, 90 days Data is for similar product.

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Sprague-Dawley rat

Corrosivity

Rosin Ester Irritation Corrosion - Skin, No skin irritation.; Data is for

similar product. Result: Negative

Species: New Zealand white rabbit

Organ: Skin Test Duration: 4 hr Observation Period: 72 hr Notes: OECD 404

Serious eve damage/eve

irritation

Based on available data, the classification criteria are not met.

Eve contact

Rosin Ester Irritation Corrosion - Eye, No eye irritation.; Data is for similar

product.

Result: Negative

Species: New Zealand white rabbit

Organ: Eye Test Duration: 72 hr Observation Period: 7 days

Notes: OECD 405

Respiratory sensitisation Not a respiratory sensitizer.

Skin sensitisation This product is not expected to cause skin sensitisation.

Skin Sensitisation

Rosin Ester Maximisation assay (Magnusson and Kligman), Not a skin

sensitizer Result: Negative Species: Guinea pig Örgan: Skin Notes: OECD 406

Germ cell mutagenicity Based on available data, the classification criteria are not met.

^{*} Estimates for product may be based on additional component data not shown.

Mutagenicity Rosin Ester

Germ Cell Mutagenicity: Ames, No data available to indicate product or any components present at greater than 0,1% are

mutagenic or genotoxic.; Data is for similar product.

Result: Negative

Species: Salmonella typhimurium

Notes: OECD 471

Germ Cell Mutagenicity: Chromosome Abberation. This material is considered to be non-clastogenic to human lymphocytes in vitro.; Data is for similar product.

Result: Negative Species: Human Notes: OECD 473

In vitro gene mutation study in mammalian cells, Data is for

similar product. Result: Negative Species: Mouse Notes: OECD 476

Carcinogenicity

Based on available data, the classification criteria are not met.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Not available. Aspiration hazard

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Other information

Rosin Ester Cytotoxicity - in Vitro, Not cytotoxic; Data is for similar

> product. Result: Negative Species: Human Organ: Fibroblasts cells Notes: BS 30993-5

Cytotoxicity - in Vitro, Not cytotoxic; Data is for similar

product. Result: Negative Species: Human Organ: Lung cell tissue Notes: BS 5736

Cytotoxicity - in Vitro, Not cytotoxic; Data is for similar

product. Result: Negative Species: Mouse Organ: Fibroblasts cells

Test Duration: 72 hr Observation Period: 24 hr

Notes: BS 5736

SECTION 12: Ecological information

12.1. Toxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
Rosin Ester			
Aquatic			
Algae	EL50	Green algae (Selenastrum capricornutum)	> 1000 mg/l, 72 hr Data is for similar product.; OECD 201
	NOEL	Green algae (Selenastrum capricornutum)	1000 mg/l, 72 hr Data is for similar product.; OECD 201
Crustacea	EL50	Water flea (Daphnia magna)	> 1000 mg/l, 48 hr Data is for similar product.; OECD 202

Material name: SYLVATAC™ RE 12

8441 Version #: 4,0 Revision date: 11-August-2022 Issue date: 16-December-2016

Components		Species	Test Results
	NOEC	Water flea (Daphnia magna)	1000 mg/l, 48 hr Data is for similar product.; OECD 202
Fish	LL50	Fathead minnow (Pimephales promelas)	> 1000 mg/l, 96 hr Data is for similar product.; OECD 203
	NOEL	Fathead minnow (Pimephales promelas)	1000 mg/l, 96 hr Data is for similar product.; OECD 203

^{*} Estimates for product may be based on additional component data not shown.

12.2. Persistence and

The product is not biodegradable.

degradability

Biodegradability

Percent Degradation (Aerobic Biodegradation)

Rosin Ester 0, Data is for similar product.

Result: Not readily biodegradable. Species: Activated sewage sludge

Test Duration: 28 days

12.3. Bioaccumulative potential No data available.

Partition coefficient

Not available.

n-octanol/water (log Kow)

No data available. 12.4. Mobility in soil

12.5. Results of PBT and vPvB

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

assessment

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

12.7. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

. Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

The Waste code should be assigned in discussion between the user, the producer and the waste EU waste code

disposal company.

Disposal methods/information

Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

Not available. 14.1. UN number 14.2. UN proper shipping Not available.

14.3. Transport hazard class(es)

Class Not available.

Subsidiary risk

Hazard No. (ADR) Not available. Tunnel restriction code Not available.

14.4. Packing group Not available.

14.5. Environmental hazards No.

14.6. Special precautions

for user

Not available.

RID

14.1. UN number Not available. 14.2. UN proper shipping Not available.

name

14.3. Transport hazard class(es)

Not available. Class

Subsidiary risk

14.4. Packing group Not available.

14.5. Environmental hazards No.

14.6. Special precautions Not available.

for user

ADN

14.1. UN number Not available. **14.2. UN proper shipping** Not available.

name

14.3. Transport hazard class(es)

Class Not available.

Subsidiary risk -

14.4. Packing group Not available.

14.5. Environmental hazards No.

14.6. Special precautions Not available.

for user

IATA

14.1. UN numberNot available. **14.2. UN proper shipping**Not available.

14.3. Transport hazard class(es)

Class Not available.

Subsidiary risk -

14.4. Packing group Not available.

14.5. Environmental hazards No.

14.6. Special precautions Not available.

for user

IMDG

14.1. UN numberNot available. **14.2. UN proper shipping**Not available.

name

14.3. Transport hazard class(es)

Class Not available.

Subsidiary risk

14.4. Packing group Not available.

14.5. Environmental hazards

Marine pollutant No.

EmS Not available. **14.6. Special precautions** Not available.

for user

14.7. Transport in bulk Not established.

according to Annex II of MARPOL 73/78 and the IBC

Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006. The Other regulations

product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation)

as amended.

National regulations 15.2. Chemical safety

Follow national regulation for work with chemical agents. No Chemical Safety Assessment has been carried out.

assessment

Water hazard class

WGK1 **AwSV**

SECTION 16: Other information

List of abbreviations Not available. Not available. References Not applicable. Information on evaluation

method leading to the classification of mixture

Full text of any H-statements not written out in full under

Sections 2 to 15

None.

Revision information

SECTION 2: Hazards identification: 2.3. Other hazards

Composition / Information on Ingredients: Disclosure Overrides

SECTION 8: Exposure controls/personal protection: Environmental exposure controls

Physical & Chemical Properties: Multiple Properties

SECTION 11: Toxicological information: Endocrine disrupting properties SECTION 12: Ecological information: 12,6. Endocrine disrupting properties SECTION 12: Ecological information: 12,5. Results of PBT and vPvB assessment

SECTION 16: Other information: Disclaimer

Training information

Follow training instructions when handling this material.

Material name: SYLVATAC™ RE 12

SDS EU

Disclaimer

KRATON CORPORATION urges each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. The information set forth in this document, as of the date of this document, is based on present knowledge, obtained from reliable sources and made to our reasonable ability and in good faith. Such information is made without any warranty or guarantee whatsoever, and shall establish no legal duty or responsibility on the part of the author(s), their employer or its affiliates. The information given is designed only as guidance and its completeness is not guaranteed. The information is not a guarantee of any specific product properties, features, qualities or specifications.

The information relates only to the specific product designated as shipped, and may not be valid for such product used in combination with any other materials or products, or in any process, unless expressly specified in this document. Nothing set forth in this document shall be construed as a recommendation or license to use any product in conflict with, or as claimed by, any existing patents rights. The user alone must finally determine whether a contemplated use of a product will infringe any such patents. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities are in compliance with all Local, Federal and International Legislation and Local Permits.

We, for ourselves and on behalf of our affiliates, expressly disclaim any and all liability for any damages or injuries arising out of any activities relating in any way to the information set forth in this document. Due to the proliferation of sources for information, we are not and cannot be responsible for SDSs obtained from any other source other than ourselves. If you have obtained an SDS from another source or if you are not sure that the SDS you have is current, please contact us for the most current version.

*KRATON, the KRATON logo, the "Green Super Drop" logo, 1101, ABIETA, AQUATAC, BiaXam, BI-THIN, CENTURY, CENWAX, CirKular+, ELEXAR, ELLAMERA, E-LEXAR, HiMA, IMSS, IPD, NEXAR, PER-SUST, PriMul, RAD-THICK, REFLECTAID, REvolution, SYLFAT, SYLVABIND, SYLVABLEND, SYLVACLEAR, SYLVACOTE, SYLVADERM, SYLVAFUEL, SYLVAGEL, SYLVAGUM, SYLVALITE, SYLVAMIN, SYLVAPINE, SYLVAPRINT, SYLVARES, SYLVAROAD, SYLVAROS, SYLVASOLV, SYLVATAC, SYLVATAL, SYLVATRAXX, TER-SET, UNICLEAR, UNIDYME, UNIFLEX, UNI-REZ, UNI-TAC, and ZONATAC are either trademarks or registered trademarks of Kraton Corporation, or its subsidiaries or affiliates, in one or more, but not all countries.

©2016-2022 Kraton Corporation