KRATON

SAFETY DATA SHEET

1. Identification	
Product identifier	Kraton™ MD1167 KT
Other means of identification	
SDS number	16086
Recommended use	Scientific research and development. Industrial use.
Recommended restrictions	Not established.
Manufacturer/Importer/Supplier/	Distributor information
	CORPORATE OFFICE
Name	Kraton Corporation
Address	15710 John F Kennedy Blvd., Suite 300
	Houston, TX 77032, USA
Telephone	+1 281 504 4700
	EUROPEAN CENTRAL OFFICE
Name	Kraton Polymers Nederland B.V.
Address	Transistorstraat 16
	1322 CE Almere, The Netherlands
Telephone	+31 (0) 36 546 2846
Email address	Product.Safety@Kraton.com
Technical Support Line - International	+1 800 4 Kraton (572866) ; +1 281 504 4950
Technical Support Line -	+31 (0) 36 546 2800
EU Website	www.Kraton.com
CHEMTREC - Domestic:	+1 800 424 9300
CHEMTREC - International:	+1 703 527 3887
SGS ECLN:	+32 35 75 03 30

2. Hazard(s) identification

Not classified.
Not classified.
Not classified.
None.
None.
Not applicable.
Not applicable.
Not applicable.
Not applicable.
Not applicable.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Styrene-Isoprene-Styrene Polymer (SIS)		25038-32-8	<100

4. First-aid measures

Move to fresh air. Call a physician if symptoms develop or persist.
Wash off with soap and water. Get medical attention if irritation develops and persists.
Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.
Rinse mouth. Get medical attention if symptoms occur.
Dusts may irritate the respiratory tract, skin and eyes. Prolonged contact may cause dryness of the skin.
Treat symptomatically. No specific antidotes are recommended.
Water spray, dry chemical, carbon dioxide.
Water spray, dry chemical, carbon dioxide. Do not use water jet.
Do not use water jet. Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.General fire hazardsStatic charges generated by emptying package in or near flammable vapor may cause flash fire.

6. Accidental release measures

V. Accidental release meas	
Personal precautions, protective equipment and emergency procedures	If spilled, may cause a slipping hazard. Avoid dust formation. Wear appropriate personal protective equipment. Keep away from sources of ignition - No smoking. Ensure adequate ventilation.
Methods and materials for containment and cleaning up	Avoid the generation of dusts during clean-up. The product is immiscible with water and will spread on the water surface.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Minimize dust generation and accumulation. Avoid heat, sparks, open flames and other ignition sources. Do not smoke. Static electricity and formation of sparks must be prevented. Ground

container and transfer equipment to eliminate static electric sparks. Maintain a fire watch if material reaches 225°C (437°F). Avoid contact with hot material. Do not breathe dust from this material. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities
Keep away from heat, sparks and open flame. This material can accumulate static charge which may cause spark and become an ignition source. Prevent electrostatic charge build-up by using common bonding and grounding techniques. To maintain product quality, do not store in heat or direct sunlight. Store in original tightly closed container. Keep containers closed when not in use. Store at ambient temperature and atmospheric pressure. Guard against dust accumulation of this material. Do not stack Flexible Intermediate Bulk Containers (FIBCs) or palletized bags. Avoid

storage under pressure or at elevated temperatures to minimize particulate clustering.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-3 (29 C Other Components	Туре	Value	Form
Talc	TWA	0.1 mg/m3	Respirable.
		20 mppcf	,
		2.4 mppcf	Respirable.
US. ACGIH Threshold Lim	iit Values		
Other Components	Туре	Value	Form
Talc	TWA	2 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide	to Chemical Hazards		
Other Components	Туре	Value	Form
Talc	TWA	2 mg/m3	Respirable.
ological limit values	No biological exposure limits noted t	or the ingredient(s).	
propriate engineering ntrols	Ventilation should be sufficient to eff that may be generated during handli		uildup of any dusts or fume
lividual protection measure	s, such as personal protective equipr	nent	
Eye/face protection	Wear safety glasses with side shield	ls (or goggles).	
Skin protection			
Hand protection	Gloves are recommended for prolon gloves.	ged use. When handling hot m	naterial, use heat resistant
Other	Wear suitable protective clothing an	d gloves.	
Respiratory protection	If ventilation is insufficient, suitable r	espiratory protection must be p	provided.
Thermal hazards	Wear appropriate thermal protective	clothing, when necessary.	
neral hygiene nsiderations	Always observe good personal hygie and before eating, drinking, and/or s		

equipment to remove contaminants.

9. Physical and chemical properties

Appearance		
Physical state	Solid.	
Form	Porous Pellet.	
Color	White.	
Odor	Odorless.	
Odor threshold	Not available.	
рН	Not applicable.	
Melting point/freezing point	Not available.	
Initial boiling point and boiling range	Not applicable.	
Flash point	Not applicable.	
Evaporation rate	Not applicable.	
Flammability (solid, gas)	The product is not flammable.	
Upper/lower flammability or explosive limits		
Explosive limit - lower (%)	Not available.	
Explosive limit - upper (%)	Not available.	
Vapor pressure	Not applicable.	
Vapor density	Not applicable.	
Relative density	> 0.88 - < 0.95 at 20°C	
Solubility(ies)		
Solubility (water)	Insoluble.	
Partition coefficient (n-octanol/water)	Not available.	

Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not available.
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Risk of self-heating and self-ignition under long term exposure to high temperatures. No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid exposure to high temperatures or direct sunlight.
Incompatible materials	Strong acids, alkalies and oxidizing agents.

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

11. Toxicological information

Hazardous decomposition

products

Information on likely routes of exposure

Inhalation	Inhalation of vapors/fumes generated by heating this product may cause respiratory irritatio throat discomfort, coughing or difficulty breathing. Inhalation of dusts may cause respiratory irritation.	
Skin contact	No adverse effects due to skin contact are expected.	
Eye contact	Health injuries are not known or expected under normal use. Dust in the eyes will cause irri Fumes released during thermal processing may cause eye irritation.	tation.
Ingestion	Health injuries are not known or expected under normal use.	
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.	
Information on toxicological eff	ects	
Acute toxicity	No data available.	
Skin corrosion/irritation	No data available.	
Serious eye damage/eye irritation	No data available.	
Respiratory or skin sensitization	n	
Respiratory sensitization	No data available.	
Skin sensitization	No data available.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
Not listed. OSHA Specifically Regulate Not listed.	Evaluation of Carcinogenicity ed Substances (29 CFR 1910.1001-1053) ogram (NTP) Report on Carcinogens	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	No data available.	
Specific target organ toxicity - repeated exposure	No data available.	
Aspiration hazard	Not an aspiration hazard.	
12. Ecological information	1	
Ecotoxicity	Based on available data, the classification criteria are not met for hazardous to the aquatic environment.	
Persistence and degradability	Not inherently biodegradable.	
Material name: Kraton™ MD1167 KT 16086 Version #: 1.0 Revision da		sds US 4 / 6

Bioaccumulative potential	The product is not bioaccumulating.
Mobility in soil	No data available.
Other adverse effects	Not available.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Waste from residues / unused products	Dispose of in accordance with local regulations.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not available. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)	All components are either listed on the US EPA TSCA Inventory list and
	designated as "active" or are exempt from listing.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

16. Other information, including date of preparation or last revision

Issue date	03-15-2023
Revision date	03-15-2023
Version #	1.0
NFPA ratings	Health: 0 Flammability: 1 Instability: 0



Disclaimer

KRATON CORPORATION urges each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. The information set forth in this document, as of the date of this document, is based on present knowledge, obtained from reliable sources and made to our reasonable ability and in good faith. Such information is made without any warranty or guarantee whatsoever, and shall establish no legal duty or responsibility on the part of the author(s), their employer or its affiliates. The information given is designed only as guidance and its completeness is not guaranteed. The information is not a guarantee of any specific product properties, features, qualities or specifications.

The information relates only to the specific product designated as shipped, and may not be valid for such product used in combination with any other materials or products, or in any process, unless expressly specified in this document. Nothing set forth in this document shall be construed as a recommendation or license to use any product in conflict with, or as claimed by, any existing patents rights. The user alone must finally determine whether a contemplated use of a product will infringe any such patents. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities are in compliance with all Local, Federal and International Legislation and Local Permits.

We, for ourselves and on behalf of our affiliates, expressly disclaim any and all liability for any damages or injuries arising out of any activities relating in any way to the information set forth in this document. Due to the proliferation of sources for information, we are not and cannot be responsible for SDSs obtained from any other source other than ourselves. If you have obtained an SDS from another source or if you are not sure that the SDS you have is current, please contact us for the most current version.

*KRATON, the KRATON logo, the "Green Super Drop" logo, 1101, ABIETA, AQUATAC, BiaXam, BI-THIN, CENTURY, CENWAX, CirKular+, ELEXAR, ELLAMERA, E-LEXAR, HiMA, IMSS, IPD, NEXAR, PER-SUST, PriMul, RAD-THICK, REFLECTAID, REvolution, SYLFAT, SYLVABIND, SYLVABLEND, SYLVACLEAR, SYLVACOTE, SYLVADERM, SYLVAFUEL, SYLVAGEL, SYLVAGUM, SYLVALITE, SYLVAMIN, SYLVAPINE, SYLVAPRINT, SYLVARES, SYLVAROAD, SYLVAROS, SYLVASOLV, SYLVATAC, SYLVATAL, SYLVATRAXX, TER-SET, UNICLEAR, UNIDYME, UNIFLEX, UNI-REZ, UNI-TAC, and ZONATAC are either trademarks or registered trademarks of Kraton Corporation, or its subsidiaries or affiliates, in one or more, but not all countries.

©2016-2022 Kraton Corporation