

SYLVATAL™ 25/30S Distilled Tall Oil

PRODUCT DATA SHEET

SYLVATAL 25/30S Distilled Tall Oil (DTO), with a 25 – 30% rosin acid content, combines the advantages of fatty acids and rosin acids.

FEATURES:

- Fluid at room temperature
- Low saturated fatty acid content
- Monocarboxylic acid functionality
- SYLVATAL 25/30S distilled tall oil contains 100% USDA certified biobased content

POTENTIAL APPLICATIONS:

- Metal working fluids
- Oilfield chemicals
- Soaps and cleaners
- Alkyd resins
- Varnishes

SALES SPECIFICATIONS

Property	Test Method*	Specification	Typical Value
Acid Number (mg KOH/g)	AQCM 001	Min 183	189
Colour, Gardner, Photometer	AQCM 002	Max 7.0	5.2
Free Rosin Acids (%)	AQCM 010	25 – 30	27
Unsaponifiables (%)	AQCM 011	Max 4.0	1.9


*Kraton test methods are available upon request

TYPICAL PROPERTIES

Property	Test Method*	Typical Value
Viscosity at 30 °C (mPa.s)	AQCM 004	62
Viscosity at 40 °C (mPa.s)	AQCM 004	40

*Kraton test methods are available upon request

SOLUBILITY	SYLVATAL™ 25/30S Distilled Tall Oil is <u>soluble</u> in alcohols, aromatics, esters and ketones, and <u>insoluble</u> in water.
COMPATIBILITY	SYLVATAL 25/30S Distilled Tall Oil is compatible with other liquid fatty acids and vegetable oils.
PACKAGING	SYLVATAL 25/30S Distilled Tall Oil is delivered as a liquid in tank trucks, ISO containers, IBC's or steel drums (as available). Typical bulk delivery temperature is 25 – 40 °C (77 – 104 °F).
STORAGE RECOMMENDATION	<p>When drummed SYLVATAL 25/30S Distilled Tall Oil should be stored dry and below 25 °C (77 °F), and away from direct sunlight. In bulk the product should be stored at 25 – 40 °C (77 – 104 °F), and under nitrogen or other inert gas to avoid discoloration through oxidation.</p> <p>This product has a tendency to crystallize after holding for extended periods of time at ambient temperatures of 25 °C (77 °F) or lower. If precipitation occurs, it does not affect the use of the product as a chemical raw material. Slight heating to about 40 °C (104 °F) dissolves the precipitated material.</p>



The USDA Certified Biobased Product label is a certification mark of the U.S. Department of Agriculture.

Disclaimer

We cannot anticipate all circumstances, conditions or applications in which this information, our products, or the products of other suppliers in combination with our products may be used. We accept no responsibility for results obtained by the application of this information or for the safety or suitability of our products, either alone or in combination with other products. The user of our products bears the responsibility of determining their suitability for a particular application or formulation, or determining that the products or their use do not infringe any intellectual property. Unless otherwise stated in writing, **WE MAKE NO WARRANTY REGARDING THE INFORMATION PROVIDED HEREIN OR OUR PRODUCT, EITHER EXPRESS OR IMPLIED, INCLUDING MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, SHELF-LIFE OR NON-INFRINGEMENT OF ANY INTELLECTUAL PROPERTY RIGHTS.** The user assumes all responsibility and liability for loss or damage arising from the handling and use of our products, whether used alone or in combination with other products.

*KRATON, the Kraton logo, and SYLVATAL are either trademarks or registered trademarks of Kraton Corporation, or its subsidiaries or affiliates, in one or more, but not all countries.

©2016-2021 Kraton Corporation

Contact us:
 Almere (NL): +31 (0)36 54 62 800
 Savannah (US): + 1 (912) 238-6439
 Shanghai (CN): + 86 21 6434 8898
www.kraton.com