SAFETY DATA SHEET



Version #: 3.1

Issue date: 09-March-2020 Revision date: 29-August-2023 Supersedes date: 28-August-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of the substance Rosin Ester

Trade name of the SYLVALITE™ 9100

substance

Synonyms None. SDS number 15471

Product code 20000002806

1.2. Relevant identified uses of the substance or mixture and uses advised against

Industrial uses: Uses of substances as such or in preparations at industrial sites. Formulation

[mixing] of preparations and/or re-packaging (excluding alloys).

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company name Kraton Chemical B.V.

Address Transistorstraat 16, 1322 CE Almere, The Netherlands

Phone +31 36 546 2800

Email address regulatory.eu@kraton.com

1.4. Emergency telephone EU NCEC +44 1865 407 333

number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The substance has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This substance does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains:Rosin EsterHazard pictogramsNone.Signal wordNone.

Hazard statements The substance does not meet the criteria for classification.

Precautionary statements

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Supplemental label information None.

2.3. Other hazardsMay form explosible dust-air mixture if dispersed. This mixture does not contain substances

assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1. Substances

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Rosin Ester	99-100	Proprietary	-	-	
		-			
Classificatio	n: -				

List of abbreviations and symbols that may be used above

CLP: Regulation No. 1272/2008.

DSD: Directive 67/548/EEC.

M: M-factor

vPvB: very persistent and very bioaccumulative substance. PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Community workplace exposure limit(s).

SECTION 4: First aid measures

Ensure that medical personnel are aware of the material(s) involved, and take precautions to General information

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact Eye contact Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur. Dusts may irritate the respiratory tract, skin and eyes.

4.2. Most important symptoms and effects, both acute and

delayed

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards May form combustible dust concentrations in air.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Apply extinguishing media

carefully to avoid creating airborne dust.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture High concentration of airborne dust may form explosive mixture with air. Static charges generated by emptying package in or near flammable vapour may cause flash fire. During fire, gases hazardous to health may be formed. Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting

procedures

In case of fire and/or explosion do not breathe fumes. Wear suitable protective equipment. Move

containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wear appropriate personal protective equipment.

For emergency responders

Keep unnecessary personnel away.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal.

Never return spills to original containers for re-use.

Material name: SYLVALITE™ 9100 SDS EU Not available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Minimise dust generation and accumulation. Avoid significant deposits of material, especially on horizontal surfaces, which may become airborne and form combustible dust clouds and may contribute to secondary explosions. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Explosion-proof general and local exhaust ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices. Follow all SDS/label precautions even after container is emptied because they may retain product residues.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Store at ambient

temperature and atmospheric pressure.

7.3. Specific end use(s)

Not available.

SECTION 8: Exposure controls/personal protection

Austria. MAK List, OEL Ordinance (GwV), BGBI. II, no. 184/2001

8.1. Control parameters

Occupational exposure limits

Additional components	Туре	Value	Form
Dust	MAK	5 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
	STEL	20 mg/m3	Inhalable fraction.
		10 mg/m3	Respirable fraction.
Belgium. Exposure Limit Values Additional components	Typo	Value	Form
·	Type		
Dust	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
Finland Additional components	Туре	Value	
Dust	TWA	5 mg/m3	
Dust	1 7 7 7	10 mg/m3	
		•	
France. Threshold Limit Values (\ Additional components	VLEP) for Occupational Exposure to C Type	Chemicals in France, II Value	NRS ED 984 Form
Dust	VME	5 mg/m3	Respirable fraction.
Regulatory status: Regulat	ory binding (VRC)		
		10 mg/m3	Inhalable fraction.
Regulatory status: Regulat	ory binding (VRC)		
Germany. DFG MAK List (advisor in the Work Area (DFG)	y OELs). Commission for the Investig	ation of Health Hazard	ds of Chemical Compounds
Additional components	Туре	Value	Form
Dust	TWA	4 mg/m3	Inhalable dust.
Germany, TRGS 900, Limit Values	s in the Ambient Air at the Workplace		
Additional components	Туре	Value	Form
Dust	AGW	10 mg/m3	Inhalable fraction.
		1,25 mg/m3	Respirable fraction.
Iceland. OELs. Regulation 390/20 Additional components	09 on Pollution Limits and Measures Type	to Reduce Pollution at	t the Workplace, as amende Form
Dust	TWA	5 mg/m3	Respirable dust.
2400	1 4 4 7 7	10 mg/m3	Total dust.
		ro mg/mo	iviai uusi.
		· ·	
Ireland. Occupational Exposure L		-	Form
Additional components	Туре	Value	Form
		-	Form Respirable dust.

Additional components	Туре	Value	Form
		10 mg/m3	Total inhalable dust.
Latvia. OELs. Occupational exposure	limit values of chemical sub	stances in work environn	nent
Additional components	Туре	Value	Form
Dust	TWA	5 mg/m3	Dust.
Lithuania. OELs. Limit Values for Che Additional components	emical Substances, General Type	Requirements Value	Form
Dust	TWA	5 mg/m3	Respirable fraction.
Dust	IVVA	3 mg/m3	Inhalable fraction.
		To mg/ms	minalable maction.
Netherlands Additional components	Туре	Value	Form
Dust	TWA (MAC)	5 mg/m3	Respirable dust.
	()	10 mg/m3	Total dust.
Slovakia. OELs. Regulation No. 300/20 Additional components	Туре	f health in work with chen Value	nical agents Form
Dust	TWA	10 mg/m3	Dust.
Slovenia. OELs. Regulations concern (Official Gazette of the Republic of Slo		ainst risks due to exposu	re to chemicals while wo
Additional components	Туре	Value	Form
Dust	TWA	10 mg/m3	Inhalable fraction.
		1,25 mg/m3	Respirable fraction.
Spain. Occupational Exposure Limits Additional components	Туре	Value	Form
Dust	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
Switzerland. SUVA Grenzwerte am Ar Additional components	beitsplatz Type	Value	Form
Dust	TWA	3 mg/m3	Respirable dust.
Bust	1 7 7 7	10 mg/m3	Inhalable dust.
IIIZ ELIAN Wash share E	(MEL -)	ro mg/mo	imalable dust.
UK. EH40 Workplace Exposure Limits Additional components	(WELs) Type	Value	Form
Dust	TWA	4 mg/m3	Respirable dust.
		10 mg/m3	Inhalable dust.
ogical limit values No biolog	gical exposure limits noted for	•	
•	andard monitoring procedures	• ,	
cedures	0.1		
ved no effect levels (DNELs)			
<u>General population</u>			
Components	Value	Assessment factor	Notes
Rosin Ester (CAS Proprietary)	0.5 "	000	Demonts I.I. 1.11
Long-term, Systemic, Dermal Long-term, Systemic, Oral	2,5 mg/kg bw/day 2,5 mg/kg bw/day	200 200	Repeated dose toxicity Repeated dose toxicity
Workers	_,		
Components	Value	Assessment factor	Notes
Rosin Ester (CAS Proprietary)			
Long-term, Local, Inhalation	10 mg/m3		
Long-term Systemic Dermal	5 ma/ka hw/day	100	Reneated dose toxicity

Marine water0,01 mg/l10000Sediment (freshwater)2317,75 mg/kgSediment (marine water)231,78 mg/kg
Material name: SYLVALITE™ 9100

15471 Version #: 3,1 Revision date: 29-August-2023 Issue date: 09-March-2020

Value

0,1 mg/l

5 mg/kg bw/day

Long-term, Systemic, Dermal

Predicted no effect concentrations (PNECs)

Rosin Ester (CAS Proprietary)

Components

Freshwater

100

1000

Assessment factor Notes

Repeated dose toxicity

462,06 mg/kg Soil STP 2,525 mg/l

8.2. Exposure controls

Appropriate engineering

controls

Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

10

Individual protection measures, such as personal protective equipment

General information Use personal protective equipment as required. Personal protection equipment should be chosen

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove - Hand protection

supplier.

Wear suitable protective clothing. - Other

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such Hygiene measures

as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Eye wash fountain and

emergency showers are recommended.

Environmental exposure

controls

Environmental manager must be informed of all major releases. Emissions from ventilation or work

process equipment should be checked to ensure they comply with the requirements of

environmental protection legislation. Fume scrubbers, filters or engineering modifications to the

process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Pastilles or Pellets, or Flakes, **Form**

Colour Light yellow Odour

Melting point/freezing point Not available. Boiling point or initial boiling

point and boiling range

Not available.

Flammability Not available

Flash point >240,0 °C (>464,0 °F) Setaflash Closed Cup

Auto-ignition temperature Not available. **Decomposition temperature** Not available. Not available. Not available. Kinematic viscosity

Solubility

Solubility (water) <0,1 % at 20°C Partition coefficient Not available.

(n-octanol/water) (log value)

Vapour pressure <0,001 mm Hg at 20°C

Density and/or relative density

>1000,00 kg/m3 at 20°C Density >1 at 25°C/25°C; (water=1) Relative density

Vapour density Not available. Particle characteristics Not available.

9.2. Other information

No relevant additional information available. 9.2.1. Information with regard to physical hazard classes

9.2.2. Other safety characteristics

Chemical family Rosin Ester

Evaporation rate 0 (n-BuAc=1) estimated

Material name: SYLVALITE™ 9100 5 / 11 15471 Version #: 3,1 Revision date: 29-August-2023 Issue date: 09-March-2020

SDS FU

<2 % estimated Percent volatile

> 101 - < 107 °C (> 213,8 - < 224,6 °F) Ring & Ball Softening point

Weighted solids

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Strong oxidising agents. Keep away from heat, sparks and open flame. Contact with incompatible 10.4. Conditions to avoid

materials. Minimise dust generation and accumulation.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous

decomposition products

Upon decomposition this product emits acrid dense smoke with carbon dioxide, carbon monoxide,

water and other products of combustion.

SECTION 11: Toxicological information

General information Not available.

Information on likely routes of exposure

Inhalation Dust may irritate respiratory system.

Skin contact No adverse effects due to skin contact are expected. Direct contact with eyes may cause temporary irritation. Eye contact

Rosin Ester Irritation Corrosion - Eye, No eye irritation.

Result: Negative

Species: New Zealand white rabbit

Organ: Eye

Test Duration: 72 hr Observation Period: 7 days

Notes: OECD 405

May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of Ingestion

occupational exposure.

Dusts may irritate the respiratory tract, skin and eyes. **Symptoms**

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

Components	Species	Test Results

Rosin Ester

Acute

Dermal

LD50 New Zealand white rabbit > 2000 mg/kg, 14 days At this dose no

death occurred.; OECD 402.

Rabbit > 2000 mg/kg, 24 Hours

Oral

LD50 Rat > 2000 mg/kg

> > 2000 mg/kg, 14 days At this dose no Sprague-Dawley rat

death occurred.; OECD 425

Prolonged skin contact may cause temporary irritation. Skin corrosion/irritation

Corrosivity

Rosin Ester Irritation Corrosion - Skin, No skin irritation.

Result: Negative

Species: New Zealand white rabbit

Organ: Skin Test Duration: 4 hr Observation Period: 72 hr Notes: OECD 404

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Material name: SYLVALITE™ 9100 15471 Version #: 3,1 Revision date: 29-August-2023 Issue date: 09-March-2020

^{*} Estimates for product may be based on additional component data not shown.

Eye contact

Rosin Ester Irritation Corrosion - Eye, No eye irritation.

Result: Negative

Species: New Zealand white rabbit

Organ: Eye Test Duration: 72 hr Observation Period: 7 days

Notes: OECD 405

Respiratory sensitisation

Not available.

Skin sensitisation

This product is not expected to cause skin sensitisation.

Skin Sensitisation

Rosin Ester

Local Lymph Node Assay - Lowest Concentration Producing

Reaction, Not a skin sensitiser.

Result: Negative Species: Mouse Organ: Skin Notes: OECD 429

Maximisation assay (Magnusson and Kligman), Not a skin

sensitiser.
Result: Negative
Species: Guinea pig
Organ: Skin
Notes: OECD 406

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

carcinogenic.

Mutagenicity Rosin Ester

Germ Cell Mutagenicity: Ames, No data available to indicate

product or any components present at greater than 0,1% are

mutagenic or genotoxic. Result: Negative

Species: Salmonella typhimurium

Notes: OECD 471

Germ Cell Mutagenicity: Chromosome Abberation, This material is considered to be non-clastogenic to human

lymphocytes in vitro. Result: Negative Species: Human Notes: OECD 473

In vitro gene mutation study in mammalian cells

Result: Negative Species: Mouse Notes: OECD 476

Carcinogenicity

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not available.

Specific target organ toxicity -

repeated exposure

Not available.

Aspiration hazard

Not available.

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Other information

Rosin Ester Cytotoxicity - in Vitro, Not cytotoxic

Result: Negative Species: Human Organ: Fibroblasts cells Notes: BS 30993-5

Cytotoxicity - in Vitro, Not cytotoxic

Result: Negative Species: Human Organ: Lung cell tissue

Notes: BS 5736

Other information

Rosin Ester Cytotoxicity - in Vitro, Not cytotoxic

Result: Negative Species: Mouse Organ: Fibroblasts cells Test Duration: 72 hr Observation Period: 24 hr

Notes: BS 5736

SECTION 12: Ecological information

12.1. Toxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components			Species	Test Results
Rosin Ester				
Aqu	atic			
Alga	e	EL50	Green algae (Selenastrum capricornutum)	> 1000 mg/l, 72 hr OECD 201
		NOEL	Green algae (Selenastrum capricornutum)	1000 mg/l, 72 hr OECD 201
Crus	tacea	EL50	Water flea (Daphnia magna)	> 1000 mg/l, 48 hr OECD 202
		NOEC	Water flea (Daphnia magna)	1000 mg/l, 48 hr OECD 202
Fish	Fish LL50 Fathead minnow (Pimephales promelas) > 1000 mg/l, 96 hr OE		> 1000 mg/l, 96 hr OECD 203	
		NOEL	Fathead minnow (Pimephales promelas)	1000 mg/l, 96 hr OECD 203

^{*} Estimates for product may be based on additional component data not shown.

12.2. Persistence and

degradability

Not readily degradable.

Biodegradability

Percent Degradation (Aerobic Biodegradation)

Rosin Ester 0 % OECD 301B

Result: Not readily biodegradable. Species: Activated sewage sludge

Test Duration: 28 days

12.3. Bioaccumulative potential Not available.12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB This

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

12.7. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN numberNot regulated as dangerous goods. **14.2. UN proper shipping**Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -

Hazard No. (ADR) Not assigned.

Tunnel restriction code Not assigned.

14.4. Packing group Not assigned.

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

RID

14.1. UN number 14.2. UN proper shippingNot regulated as dangerous goods.
Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -

14.4. Packing group Not assigned.

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

ADN

14.1. UN numberNot regulated as dangerous goods. **14.2. UN proper shipping**Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

14.4. Packing group Not assigned.

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IATA

14.1. UN numberNot regulated as dangerous goods. **14.2. UN proper shipping**Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

14.4. Packing group Not assigned.

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IMDG

14.1. UN numberNot regulated as dangerous goods. **14.2. UN proper shipping**Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -

14.4. Packing group Not assigned.

14.5. Environmental hazards Marine pollutantNo.

EmS Not assigned.

14.6. Special precautions Not assigned.

for user

14.7. Transport in bulkTransport in bulk according to Annex II of MARPOL 73/78 and the IBC Code.

according to Annex II of MARPOL 73/78 and the IBC

Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Material name: SYLVALITE™ 9100

15471 Version #: 3,1 Revision date: 29-August-2023 Issue date: 09-March-2020

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals. Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006. The

product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation)

as amended.

Follow national regulation for work with chemical agents. National regulations 15.2. Chemical safety Chemical Safety Assessment has been carried out.

assessment

Water hazard class

WGK1 **AwSV**

SECTION 16: Other information

Not available. List of abbreviations Not available. References Not applicable. Information on evaluation

method leading to the classification of mixture

Full text of any statements, None.

which are not written out in full

under sections 2 to 15

Composition / Information on Ingredients: Disclosure Overrides Revision information

Follow training instructions when handling this material. Training information

Material name: SYLVALITE™ 9100

SDS EU

Disclaimer

KRATON CORPORATION urges each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. The information set forth in this document, as of the date of this document, is based on present knowledge, obtained from reliable sources and made to our reasonable ability and in good faith. Such information is made without any warranty or guarantee whatsoever, and shall establish no legal duty or responsibility on the part of the author(s), their employer or its affiliates. The information given is designed only as guidance and its completeness is not guaranteed. The information is not a guarantee of any specific product properties, features, qualities or specifications.

The information relates only to the specific product designated as shipped, and may not be valid for such product used in combination with any other materials or products, or in any process, unless expressly specified in this document. Nothing set forth in this document shall be construed as a recommendation or license to use any product in conflict with, or as claimed by, any existing patents rights. The user alone must finally determine whether a contemplated use of a product will infringe any such patents. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities are in compliance with all Local, Federal and International Legislation and Local Permits.

We, for ourselves and on behalf of our affiliates, expressly disclaim any and all liability for any damages or injuries arising out of any activities relating in any way to the information set forth in this document. Due to the proliferation of sources for information, we are not and cannot be responsible for SDSs obtained from any other source other than ourselves. If you have obtained an SDS from another source or if you are not sure that the SDS you have is current, please contact us for the most current version.

*KRATON, the KRATON logo, the "Green Super Drop" logo, 1101, ABIETA, AQUATAC, BiaXam, BI-THIN, CENTURY, CENWAX, CirKular+, ELEXAR, ELLAMERA, E-LEXAR, HiMA, IMSS, IPD, NEXAR, PER-SUST, PriMul, RAD-THICK, REFLECTAID, REvolution, SYLFAT, SYLVABIND, SYLVABLEND, SYLVACLEAR, SYLVACOTE, SYLVADERM, SYLVAFUEL, SYLVAGEL, SYLVAGUM, SYLVALITE, SYLVAMIN, SYLVAPINE, SYLVAPRINT, SYLVARES, SYLVAROAD, SYLVAROS, SYLVASOLV, SYLVATAC, SYLVATAL, SYLVATRAXX, TER-SET, UNICLEAR, UNIDYME, UNIFLEX, UNI-REZ, UNI-TAC, and ZONATAC are either trademarks or registered trademarks of Kraton Corporation, or its subsidiaries or affiliates, in one or more, but not all countries.

©2016-2023 Kraton Corporation